

Update Notice: Immunopeptidomics Workflow for Isolation and LC-MS/MS Analysis of MHC Class I-Bound Peptides Under Hypoxic Conditions

Hala Estephan^{1,*}, Ester M. Hammond¹ and Eleni Adamopoulou²

¹Department of Oncology, University of Oxford, Oxford, UK

²Centre for Immuno-Oncology, Nuffield Department of Medicine, University of Oxford, Oxford, UK

*For correspondence: hala.estephan@oncology.ox.ac.uk

After official publication of our protocol in *Bio-protocol* (<https://bio-protocol.org/e5505>), it has been brought to our attention that the legend for Figure 2 requires a citation to indicate that the protocol is adapted from a previous report. We would also like to take this opportunity to update the acknowledgements section of the paper.

Updated Figure 2 legend:

Figure 2. Generation of MHC immunoaffinity column. The first six steps of the procedure are shown and as previously described [13]. CV, column volume; DMP, dimethyl pimelimidate dihydrochloride.

Updated Acknowledgements:

Acknowledgments

H.E.: Conceptualization, Investigation, Writing-Original draft, Writing-Review & Editing. E.M.H.: Funding acquisition, Supervision, Writing-Review & Editing. E.A.: Writing-Review & Editing. This work was supported by Medical Research Council-UKRI grant MC_UU_00001/8, Cancer Research UK RadNet Centre Award C6078/A28736, NIHR Oxford BRC, NIHR203311. This protocol was used in [28]. The protocol was modified and adapted from [13]. We are grateful to Drs Tailor and Parker and Prof. Ternette (University of Oxford) for their expert advice in the development of this protocol. The following figures were created using BioRender: Graphical overview, BioRender.com/BM28VRHAEH; Figure 2, BioRender.com/CN28VRHTLV; Figure 3, BioRender.com/AY28VRI5PW.

This article was previously updated on Feb 20, 2026. The update notice can be found here: <https://bio-protocol.org/e5630>